HANXUN ANTENNA

Product Catalog

2026

Factory-Direct, Straight to You

Hanxun Electronic Technology Co., Ltd

COMPANY PROFILE


Quanzhou Hanxun Electronic Technology Co., Ltd. is an innovative integrated industry and trade enterprise specializing in the field of communication. The company is committed to the research and development, production, and sales of various high-quality communication products, providing customers with high-quality product solutions with exquisite technology and strict quality control.


In terms of communication products, the company relies on advanced research and development technology and a professional production team to create antenna series products with excellent performance and stable signals. These antennas are widely used in multiple fields, helping to achieve efficient communication connections.

In terms of technological research and development, the company continuously explores cutting-edge technologies, conducts in-depth research and development, and integrates innovative concepts into every product. After years of technological accumulation, our product line covers a wide range, especially excelling in communication critical components such as antennas.

We specialize in providing professional OEM customized production services for global customers and look forward to your cooperation.









CONTENTS

01 Mobile Antenna 01

02 Base Station Antenna 23

03 Marine Antenna 27

04 Handheld Antenna 28

05 Antenna Bracket 47

06 Strong Magnet Base 55

07 Magnet Base Bracket 62

08 Communication Cable 63

09 Other Accessories 65

TDT-770S

TDT-770S Anti collision Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.2/5.7dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 970mm
- **Connector :** M
- **Polarization :** Vertical



NL-770SP

NL-770SP Spring Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 490mm
- **Connector :** M
- **Polarization :** Vertical



NL-770S

NL-770S Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 430mm
- **Connector :** M
- **Polarization :** Vertical



NL-770R

NL-770R Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 960mm
- **Connector :** MJ
- **Polarization :** Vertical



NL-770H

NL-770H Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 995mm
- **Connector :** M
- **Polarization :** Vertical



NR-770H

NR-770H Mobile Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 995mm
- **Connector :** M
- **Polarization :** Vertical



NR-770HB

NR-770HB Black Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 995mm
- **Connector :** M
- **Polarization :** Vertical



NR-760H

NR-760H/NR-760HB Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/5.2dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver / Black
- **Length :** 800mm
- **Connector :** MJ
- **Polarization :** Vertical



SG7000

SG7000 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 470mm
- **Connector :** M
- **Polarization :** Vertical



SG7200

SG7200 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.2/5.7dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 960mm
- **Connector :** M
- **Polarization :** Vertical



SG7500

SG7500 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.2/5.7dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 960mm
- **Connector :** M
- **Polarization :** Vertical



SG7700

SG7700 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 4.3/6.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1270mm
- **Connector :** M
- **Polarization :** Vertical



SG7900

SG7900 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 5.0/7.6dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1580mm
- **Connector :** M
- **Polarization :** Vertical



HAR7900

HAR7900 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 5.0/7.6dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Red
- **Length :** 1500mm
- **Connector :** M
- **Polarization :** Vertical



TDT-7900D

TDT-7900D Mobile Antenna

- **Frequency :** 146/245/365/430 MHz
- **Gain :** 3.0/3.5/4.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 970mm
- **Connector :** M
- **Polarization :** Vertical



CR8900

CR8900 Mobile Antenna

- **Frequency :** 29/50/144/430 MHz
- **Gain :** 2.15/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1260mm
- **Connector :** M
- **Polarization :** Vertical



NL-R2

NL-R2 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 380mm
- **Connector :** M
- **Polarization :** Vertical



NL-R2+

NL-R2 Upgrade Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 840mm
- **Connector :** M
- **Polarization :** Vertical



NL-R2F

NL-R2F Tactical Folding Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 475mm
- **Connector :** M
- **Polarization :** Vertical



SP-R2

SP-R2 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.5/4.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 465mm
- **Connector :** M
- **Polarization :** Vertical



CH-300FXS

CH-300FXS Mobile Antenna


- **Frequency :** 144/430/900 MHz
- **Gain :** 1.2/1.7/3.4dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 250mm
- **Connector :** M
- **Polarization :** Vertical



PO-150

PO-150 Mobile Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 1150mm
- **Connector :** M
- **Polarization :** Vertical



M150-GSA

M150-GSA Mobile Antenna


- **Frequency :** 136-174 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 60W
- **Impedance :** 50ohm
- **Color :** Sliver/Black
- **Length :** 500mm
- **Connector :** M
- **Polarization :** Vertical



M150-Dual

M150 Dual Band Mobile Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver/Black
- **Length :** 540mm
- **Connector :** M
- **Polarization :** Vertical



MC100

MC100 Mobile Antenna Combination


- **Frequency :** 134-174 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 70W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 520mm
- **Connector :** PL259/SMA-M/SMA-F/BNC
- **Polarization :** Vertical



MC101

MC101 Mobile Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 3.4dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1340mm
- **Connector :** M
- **Polarization :** Vertical



MC101

MC101-White Mobile Antenna


- **Frequency :** 136-174 MHz
- **Gain :** 3.4dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** White+Sliver
- **Length :** 1340mm
- **Connector :** M
- **Polarization :** Vertical



MC101S

MC101S Mobile Antenna

- **Frequency :** 117-174 MHz
- **Gain :** 3.4dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1000-1620mm
- **Connector :** M
- **Polarization :** Vertical



MC200A

MC200A Mobile Antenna



- **Frequency :** 134-174 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 560mm
- **Connector :** M
- **Polarization :** Vertical

MC200

MC200 Mobile Antenna



- **Frequency :** 320-500 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 530mm
- **Connector :** M
- **Polarization :** Vertical

MC200

MC200 Mobile Antenna Combination



- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 70W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 450mm
- **Connector :** PL259/SMA-M/SMA-F/BNC
- **Polarization :** Vertical

MC201

MC201 Mobile Antenna Combination



- **Frequency :** 340-520 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 70W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 230mm
- **Connector :** PL259/SMA-M/SMA-F/BNC
- **Polarization :** Vertical

VH1208

VH1208 Mobile Antenna Combination

- **Frequency :** 136-152 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 70W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 520mm
- **Connector :** M
- **Polarization :** Vertical



NC-450M

NC-450M Mobile Antenna Combination

- **Frequency :** 400-520 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 70W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 176mm
- **Connector :** NMO
- **Polarization :** Vertical



NC-450MA

NC-450MA Mobile Antenna

- **Frequency :** 400-520 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 70W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 540mm
- **Connector :** NMO
- **Polarization :** Vertical



TDT-6600

TDT-6600 Telescope Mobile Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 290/1140mm
- **Connector :** M
- **Polarization :** Vertical



M285

M285 Mobile Antenna


- **Frequency :** 136-174 MHz
- **Gain :** 3.4dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1330mm
- **Connector :** M
- **Polarization :** Vertical



M285S

M285S Mobile Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1350mm
- **Connector :** M
- **Polarization :** Vertical



M285A

M285A Mobile Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 4.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 950mm
- **Connector :** M
- **Polarization :** Vertical



M285CB

M285CB Mobile Antenna

- **Frequency :** 27 MHz
- **Gain :** 3.4dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 940mm
- **Connector :** M
- **Polarization :** Vertical



M285F


M285F Tactic Folding Mobile Antenna



- **Frequency :** 136-174 MHz
- **Gain :** 3.4dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 780mm
- **Connector :** M
- **Polarization :** Vertical

M385


M385 Mobile Antenna



- **Frequency :** 144/430/900 MHz
- **Gain :** 1.2/3.4/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Red/White/Black
- **Length :** 1300mm
- **Connector :** M
- **Polarization :** Vertical

TSM-1317

TSM-1317 Mobile Antenna



- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Sliver/Black
- **Length :** 280mm
- **Connector :** M
- **Polarization :** Vertical

TDT-1770

TDT-1770 Mobile Antenna



- **Frequency :** 177/445 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 480mm
- **Connector :** N
- **Polarization :** Vertical

SG-M506

SG-M506 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/5.2dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 650mm
- **Connector :** M
- **Polarization :** Vertical



SG-M507

SG-M507 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/5.2dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 740mm
- **Connector :** M
- **Polarization :** Vertical



TDT-526

TDT-526 Mobile Antenna

- **Frequency :** VHF/Customized
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver/Black
- **Length :** 750-1000mm/Customized
- **Connector :** M
- **Polarization :** Vertical



TDT-M526

TDT-M526 Mobile Antenna

- **Frequency :** UHF/Customized
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver/Black
- **Length :** 750-1000mm/Customized
- **Connector :** M
- **Polarization :** Vertical



TDT-3500

TDT-3500 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.2/5.6dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 1100mm
- **Connector :** M/NMO
- **Polarization :** Vertical



X530

X530 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/6.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1030mm
- **Connector :** M
- **Polarization :** Vertical



TDT-8800

TDT-8800 Mobile Antenna


- **Frequency :** 88/245/445 MHz
- **Gain :** 2.15/3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 420mm
- **Connector :** N-Male
- **Polarization :** Vertical



TDT-SLMBF

TDT-SLMBF Mobile Antenna

- **Frequency :** 130-512 MHz
- **Gain :** 2.15-3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 600mm
- **Connector :** M
- **Polarization :** Vertical



TDT-600

TDT-600 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/4.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 560mm
- **Connector :** NMO
- **Polarization :** Vertical



TDT-700

TDT-700 Mobile Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 3.0/4.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 560mm
- **Connector :** NMO
- **Polarization :** Vertical



TDT-800

TDT-800 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 510mm
- **Connector :** NMO
- **Polarization :** Vertical



TDT-900

TDT-900 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 540mm
- **Connector :** NMO
- **Polarization :** Vertical



TDT-800B

TDT-800B Mobile Antenna

- **Frequency :** 450-470 MHz
- **Gain :** 5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 870mm
- **Connector :** NMO
- **Polarization :** Vertical



TDT-800C

TDT-800C Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 400-1350mm
- **Connector :** NMO
- **Polarization :** Vertical



TDT-800D

TDT-800D Mobile Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 400-1350mm
- **Connector :** NMO
- **Polarization :** Vertical



TDT-NC350

TDT-NC350 Mobile Antenna


- **Frequency :** 150/430 MHz
- **Gain :** 2.5/3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 495mm
- **Connector :** NMO
- **Polarization :** Vertical



NA-39A

NA-39A Mobile Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1360mm
- **Connector :** NMO
- **Polarization :** Vertical



NA-39A

NA-39A Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 560mm
- **Connector :** NMO
- **Polarization :** Vertical



N2RS

N2RS Mobile Antenna

- **Frequency :** 144/430/700-2700 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 60W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 90mm
- **Connector :** NMO
- **Polarization :** Vertical



CZ-143

CZ-143 Mobile Antenna

- **Frequency :** 144/430/800-2700 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 60W
- **Impedance :** 50ohm
- **Color :** White/Yellow/Black/Red
- **Length :** 90mm
- **Connector :** M
- **Polarization :** Vertical



TDT-4060

TDT-4060 Off Road Vehicle Antenna

- **Frequency :** 144/430 MHz/Customized
- **Gain :** 3.0-6.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 500-1500mm
- **Connector :** PL259/SMA/BNC/N
- **Polarization :** Vertical



TDT-4080

TDT-4080 Off Road Vehicle Antenna

- **Frequency :** 144/430 MHz/Customized
- **Gain :** 3.0-6.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 500-1500mm
- **Connector :** PL259/SMA/BNC/N
- **Polarization :** Vertical



TDT-4070

TDT-4070 Detachable Off-Road Vehicle Antenna

- **Frequency :** 144/430 MHz/Customized
- **Gain :** 3.0-6.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 500-1500mm
- **Connector :** PL259/SMA/BNC/N
- **Polarization :** Vertical



TDT-4090

TDT-4090 Detachable Off-Road Vehicle Antenna

- **Frequency :** 144/430 MHz/Customized
- **Gain :** 3.0-6.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 500-1500mm
- **Connector :** PL259/SMA/BNC/N
- **Polarization :** Vertical



CR77

CR77 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 297mm
- **Connector :** M
- **Polarization :** Vertical



Z-209R

Z-209R Tactical Folding Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 1100mm
- **Connector :** M
- **Polarization :** Vertical



TQC-400DII

TQC-400DII Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 950mm
- **Connector :** M
- **Polarization :** Vertical



CBC-435

CBC-435 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/4.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 120W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 390mm
- **Connector :** M
- **Polarization :** Vertical



NL-350

NL-350 Fiberglass Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 50W
- **Impedance :** 50ohm
- **Color :** White/Black
- **Length :** 230mm
- **Connector :** M
- **Polarization :** Vertical



NL-550

NL-550 Fiberglass Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** White/Black
- **Length :** 550mm
- **Connector :** M
- **Polarization :** Vertical



NW2001

NW2001 Fiberglass Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1020mm
- **Connector :** M
- **Polarization :** Vertical



NW2001

NW2001 Fiberglass Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 1020mm
- **Connector :** M
- **Polarization :** Vertical



TDT-2E

TDT-2E Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.4dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 1320mm
- **Connector :** M
- **Polarization :** Vertical



TDT-M160

TDT-M160 Pigtail Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 50W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 160mm
- **Connector :** M/N-Female
- **Polarization :** Vertical



TDT-S1

TDT-S1 Pigtail Mobile Antenna

- **Frequency :** 400-470 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 50W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 155mm
- **Connector :** M
- **Polarization :** Vertical



TDT-S2

TDT-S2 Pigtail Mobile Antenna


- **Frequency :** 136-174 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 50W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 160mm
- **Connector :** M
- **Polarization :** Vertical



TDT-M01

TDT-M01 Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.5/3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 70W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 500mm
- **Connector :** M
- **Polarization :** Vertical



TDT-M03

TDT-M03 Mobile Antenna

- **Frequency :** 400-470 MHz
- **Gain :** 4.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Balck
- **Length :** 750mm
- **Connector :** M
- **Polarization :** Vertical



DPCL2E

DP-CL2E Mobile Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 1100mm
- **Connector :** M
- **Polarization :** Vertical



DPLS2E


DP-LS2E Mobile Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Sliver
- **Length :** 390mm
- **Connector :** M
- **Polarization :** Vertical



TDT-SIR27

TDT-SIR27 Mobile Antenna Combination



- **Frequency :** 27 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Antenna Length :** 600mm
- **Base Diameter :** 90mm
- **Cable Length :** 5m RG58
- **Cable Connector :** PL259

TDT-SIR40

TDT-SIR40 Mobile Antenna Combination



- **Frequency :** 136-174 MHz/400-470
- **Gain :** 3.5/4.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Antenna Length :** 1650/710mm
- **Base Diameter :** 90mm
- **Cable Length :** 5m RG58
- **Cable Connector :** PL259

TDT-SIR450

TDT-SIR450 Mobile Antenna



- **Frequency :** 136-174 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 820mm
- **Connector :** NMO
- **Polarization :** Vertical

TDT-770SC

TDT-770SC Mobile Antenna



- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** Laser Color
- **Length :** 430mm
- **Connector :** M
- **Polarization :** Vertical

F22

F22 Base Station Antenna



- **Frequency :** 144-174 MHz
- **Gain :** 6.7dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 3200mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical

F23

F23 Base Station Antenna



- **Frequency :** 144-174 MHz
- **Gain :** 7.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 4500mm(Three section)
- **Connector :** SO239/N-F
- **Polarization :** Vertical

X30

X30 Base Station Antenna



- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1300mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical

X50

X50 Base Station Antenna



- **Frequency :** 144/430 MHz
- **Gain :** 4.5/7.2dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1700mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical

BC100

BC100 Base Station Antenna

- **Frequency :** 134-174 MHz
- **Gain :** 3.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1700mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical



BC100S

BC100S Base Station Antenna

- **Frequency :** 115-174 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1700mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical



BC200

BC200 Base Station Antenna

- **Frequency :** 430-490 MHz
- **Gain :** 6.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1700mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical



BC200L

BC200L Base Station Antenna

- **Frequency :** 370-430 MHz
- **Gain :** 5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1700mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical



TDT-B1200

TDT-B1200 Base Station Antenna

- **Frequency :** VHF/UHF/2.4G/5.8G/Customized
- **Gain :** 6.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1200mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical



TDT-B2000

TDT-B2000 Base Station Antenna

- **Frequency :** VHF/UHF/2.4G/5.8G/Customized
- **Gain :** 8.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 2200mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical



TDT-B2000A

TDT-B2000A Base Station Antenna

- **Frequency :** VHF/UHF/Customized
- **Gain :** 8.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 2000mm(Double section)
- **Connector :** SO239/N-F
- **Polarization :** Vertical



TDT-B4000

TDT-B4000 Base Station Antenna


- **Frequency :** VHF/UHF/2.4G/5.8G/Customized
- **Gain :** 12dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 4000mm(Double section)
- **Connector :** SO239/N-F
- **Polarization :** Vertical



TDT-X200

TDT-X200 Base Station Antenna

- **Frequency :** VHF/UHF
- **Gain :** 6.0dBi(144 MHz) / 8.0dBi(430 MHz)
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 2500mm(Double section)
- **Connector :** SO239/N-F
- **Polarization :** Vertical



VH-2401

VH-2401 Base Station Antenna

- **Frequency :** VHF/UHF
- **Gain :** 6.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1840mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical



TDT-B550

TDT-B550 LoT Fiberglass Antennat


- **Frequency :** 144/430/600-3800 MHz
- **Gain :** 3.5/5.5dBi/Customized
- **V.S.W.R :** <1.5
- **Max. Power :** 150W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 485-1350mm
- **Connector :** M-Female/N-Female/N-male
- **Polarization :** Vertical



TDT-WS

TDT-WS Cordless Telephone Antenna

- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 50W
- **Impedance :** 50ohm
- **Color :** White
- **Connector :** M
- **Polarization :** Vertical



TDT-MR1100

TDT-MR1100 Marine Antenna

- **Frequency :** 156-163 MHz/Customized
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1100mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical
- **Base :** Universal Base
- **Cable Length :** 5m/10m/Customized
- **Cable Connector :** PL259/N/BNC/SMA



TDT-MR1500

TDT-MR1500 Marine Antenna

- **Frequency :** 156-163 MHz/Customized
- **Gain :** 6.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1500mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical
- **Base :** Universal Base
- **Cable Length :** 5m/10m/Customized
- **Cable Connector :** PL259/N/BNC/SMA



TDT-A1200

TDT-A1200 Marine AIS Antenna

- **Frequency :** 156-163 MHz/Customized
- **Gain :** 6.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 200W
- **Impedance :** 50ohm
- **Color :** White
- **Length :** 1200mm
- **Connector :** SO239/N-F
- **Polarization :** Vertical



TDT-CS33

TDT-CS33 Tactical Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.5/4.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 330mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CS48

TDT-CS48 Tactical Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 480mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CS78

TDT-CS78 Tactical Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 780mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CS108

TDT-CS108 Tactical Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 1080mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CS124

TDT-CS124 Tactical Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 1240mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSM48

TDT-CSM48 Camouflage Folding Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Camouflage
- **Length :** 480mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSM78

TDT-CSM78 Camouflage Folding Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Camouflage
- **Length :** 780mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSM108

TDT-CSM108 Camouflage Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Camouflage
- **Length :** 1080mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSL33

TDT-CSL33 Camouflage Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.5/4.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Camouflage Green
- **Length :** 330mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSL48

TDT-CSL48 Camouflage Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Camouflage Green
- **Length :** 480mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSL78

TDT-CSL78 Camouflage Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Camouflage Green
- **Length :** 780mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSL108

TDT-CSL108 Camouflage Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Camouflage Green
- **Length :** 1080mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSL124

TDT-CSL124 Camouflage Folding Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Camouflage Green
- **Length :** 1240mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSG48

TDT-CSG48 Tactical Folding Antennat

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 630mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-CSG108

TDT-CSG108 Tactical Folding Antennat

- **Frequency :** 144/430 MHz
- **Gain :** 3.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 1230mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-A23

TDT-A23 Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 235mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



AR-148

AR-148 Fiberglass Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 330mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



AR-158

AR-158 Fiberglass Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 380mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-E23

TDT-E23 Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 230mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-E33

TDT-E33 Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 330mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-E23B

TDT-E23B Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 230mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-E33B

TDT-E33B Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 330mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-E23R

TDT-E23R Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 230mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-E33R

TDT-E33R Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 330mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-E23C

TDT-E23C Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Rose red / Lemon green
- **Length :** 230mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-E33C

TDT-E33C Goose Tube Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Rose red / Lemon green
- **Length :** 330mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-5885

TDT-5885 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Multicolour
- **Length :** 430mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-5885F

TDT-5885F Telescoping Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 155-535mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



AL-800

AL-800 Telescoping Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.2/5.6dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 220-850mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



RH770

RH770 Telescoping Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 20W
- **Impedance :** 50ohm
- **Color :** Silvery
- **Length :** 210-920mm
- **Connector :** SMA-Female/Male
- **Polarization :** Vertical



RH660S

TDT-RH660S Telescoping Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0/5.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 280-1085mm
- **Connector :** SMA-Female/Male
- **Polarization :** Vertical



NA636

NA636 Telescoping Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 222-375mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-BXZ

TDT-BXZ Telescoping Handheld Antenna

- **Frequency :** VHF/UHF
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Silvery
- **Length :** 160-450mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



GNR-21P

GNR-21P Telescoping Handheld Antenna

- **Frequency :** VHF/UHF/27 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Silvery
- **Length :** 250-1200mm (Bendable) 240-1070mm(Not Bendable)
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



SG112

SG112 Telescoping Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/4.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 165-660mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



RH775

RH775 Telescoping Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 140-410mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



RH701

RH701 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 220mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



RH701S

RH701S Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 224mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



RH771

RH771 Handheld Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 393mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



RH771S

RH771S Handheld Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 395mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



NA771

NA771 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 400mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



NA771+

NA771+ Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Transparent+Golden
- **Length :** 380mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



PHD-771

PHD-771 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 20W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 385/400/420mm
- **Connector :** BNC/SMAP/SMAJ/MOTO
- **Polarization :** Vertical



RH519

RH519 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 200mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-S10

TDT-S10 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 345mm
- **Connector :** SMA-Female/Male
- **Polarization :** Vertical



TDT-901S

TDT-901S Handheld Antenna

- **Frequency :** 800MHz / 2.4GHz / 4GHz
- **Gain :** 2.5/3.5/5.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 200mm
- **Connector :** SMA-Male
- **Polarization :** Vertical



RH901S

RH901S Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 470mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



RH951S

RH951S Handheld Antenna


- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.5dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 350mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



RH77B

RH77B Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 400mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-GTH

TDT-GTH Handheld Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 1.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Golden
- **Length :** 160mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-V6

TDT-V6 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 177mm
- **Connector :** SMA-Female/Male
- **Polarization :** Vertical



TDT-V8

TDT-V8 Handheld Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 1.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 150mm
- **Connector :** BNC
- **Polarization :** Vertical



TDT-CB27

TDT-CB27 Handheld Antenna

- **Frequency :** 27 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 100W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 250mm
- **Connector :** BNC
- **Polarization :** Vertical



SRH805S

SRH805S Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black / Green / Orange
- **Length :** 48mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



ST20

ST20 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15/3.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 75mm
- **Connector :** SMA-Female/Male/BNC
- **Polarization :** Vertical



TDT-THI

TDT-TH1 Handheld Antenna

- **Frequency :** 400-470MHz
- **Gain :** 2.0dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 41mm
- **Connector :** SMA-Female/Male
- **Polarization :** Vertical



TK2107

TK2107 Handheld Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 160mm
- **Connector :** SMA-F
- **Polarization :** Vertical



TK2207G

TK2207G Handheld Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 170mm
- **Connector :** SMA-F
- **Polarization :** Vertical



TK3107

TK3107 Handheld Antenna

- **Frequency :** 400-470 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 168mm
- **Connector :** SMA-Female
- **Polarization :** Vertical



TK3207G

TK3207G Handheld Antenna

- **Frequency :** 400-450 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 160mm
- **Connector :** SMA-F
- **Polarization :** Vertical



HT1000

HT1000 Handheld Antenna

- **Frequency :** 800MHz/Customized
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 135mm
- **Connector :** MOTO/SMA
- **Polarization :** Vertical



P8268

P8268 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 145mm
- **Connector :** MOTO
- **Polarization :** Vertical



XTS2500

XTS2500 Handheld Antenna

- **Frequency :** 800 MHz/Customized
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 89mm
- **Connector :** MOTO/SMA-F
- **Polarization :** Vertical



BF5R

BF5R Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 175mm
- **Connector :** SMA-F
- **Polarization :** Vertical



ICOM F1

ICOM F1 Handheld Antenna

- **Frequency :** 400-470 MHz
- **Gain :** 1.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 85mm
- **Connector :** SMA/BNC/MOTO
- **Polarization :** Vertical



ICOM F21

ICOM F21 Handheld Antenna

- **Frequency :** 400-470 MHz
- **Gain :** 1.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 150mm
- **Connector :** MOTO
- **Polarization :** Vertical



VX-168

VX-168 Handheld Antenna

- **Frequency :** 400-470 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 165mm
- **Connector :** SMA-J
- **Polarization :** Vertical



VX-400

VX-400 Handheld Antenna

- **Frequency :** 400-470 MHz
- **Gain :** 1.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 95mm
- **Connector :** SMA-J
- **Polarization :** Vertical



GP68

GP68 Handheld Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 1.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 140mm
- **Connector :** MOTO
- **Polarization :** Vertical



GP88

GP88 Handheld Antenna

- **Frequency :** 136-174 MHz
- **Gain :** 1.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 150mm
- **Connector :** MOTO
- **Polarization :** Vertical



GP300

GP300 Handheld Antenna

- **Frequency :** 400-470 MHz
- **Gain :** 1.8dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 95mm
- **Connector :** MOTO
- **Polarization :** Vertical



GP328D

GP328D Handheld Antenna

- **Frequency :** VHF/UHF
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 155mm
- **Connector :** MOTO
- **Polarization :** Vertical



PMAD4117

PMAD4117 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 155mm
- **Connector :** MOTO
- **Polarization :** Vertical



PMAD4120

PMAD4120 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 95mm
- **Connector :** MOTO
- **Polarization :** Vertical



PMAD4132

PMAD4132 Handheld Antenna

- **Frequency :** 144/430 MHz
- **Gain :** 2.15dBi
- **V.S.W.R :** <1.5
- **Max. Power :** 10W
- **Impedance :** 50ohm
- **Color :** Black
- **Length :** 220mm
- **Connector :** MOTO
- **Polarization :** Vertical



EM-81

EM-81 Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



EM-90

EM-90 Clip Bracket


- **Color :** Black
- **Hole Dia :** 16mm



GM-500

GM500 Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



GM-500A

GM500A Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



K-400

K-400 Clip Bracket

- **Color :** Silvery
- **Hole Dia :** 16mm



K366

K366 Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



K366

K366 Clip Bracket

- **Color :** Silvery
- **Hole Dia :** 16mm



K33

K33 Clip Bracket

- **Color :** Silvery
- **Hole Dia :** 16mm



RB-400

RB-400 Clip Bracket

- **Color :** Silvery
- **Hole Dia :** 16mm



RB-400

RB-400 Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



RB-46

RB-46 Clip Bracket

- **Color :** Silvery
- **Hole Dia :** 16mm



RB-46

RB-46 Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



RB-20

RB-20 Mini Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



RB-56

RB-56 Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



RB-66

RB-66 Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



RB-80

RB-80 Off-road Vehicle Bracket

- **Color :** Black
- **Hole Dia :** 16mm



TDT-HRK

TDT-HRK Adhesive Bracket

- **Color :** Black
- **Hole Dia :** 16mm



TDT-HRK+

TDT-HRK+ Adhesive Bracket

- **Color :** Black
- **Hole Dia :** 16mm



TDT-KC

TDT-KC Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



TDT-K110

TDT-K110 Clip Bracket

- **Color :** Silvery
- **Hole Dia :** 16mm



TDT-SK1

TDT-SK1 U-shaped Bracket

- **Color :** Black
- **Hole Dia :** 16mm



TDT-SK1

TDT-SK1 U-shaped Bracket


- **Color :** Silvery
- **Hole Dia :** 16mm



TDT-FD

TDT-FD Clip Bracket

- **Color :** Black
- **Hole Dia :** 16mm



K3-66

New K3-66 Clip Bracket

- **Color :** Silvery
- **Hole Dia :** 16mm



BRACKET *Off road vehicle specific antenna bracket*



Prado Overbearing



Isuzu D-MAX



Land Rover Discovery 4



Harvard'S Great Dog



BJ40



BJ60



BJ80




Tank 300



Tank 400




Tank 500



Tank 700



Tank 300 Driver's side engine hood




Pajero



Mitsubishi Outlander



Pajero JC



Toyota FJ Cruiser



Land Cruiser LC100/200 left/right



Land Cruiser LC200 lamp upper position left/right



Land Cruiser LC200 lower beam headlight left/right



Land Cruiser LC300 left/right



Toyota Tundra's left side of the tailgate



Tucson



Paladin



Toyota Tundra Light Upper Position

BRACKET *Off road vehicle specific antenna bracket*



Pathfinder



Isuzu D-MAX



Land Rover Discovery 4



Harvard'S Great Dog



Jetour Traveller



Great Wall Cannon



JEEP Grand Commander



Equation Leopard 5



Highlander



Great Wall Cannon/ Raptor Rear Bracket



Great Wall PAV/ Raptor Rear Bumper Bracket



Jimny

K505M

K505M Vacuum Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 120mm
- **Cable Type :** RG58 50-3



K702M

K702M Vacuum Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 160mm
- **Cable Type :** RG58 50-3



K707M

K707M Vacuum Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 100mm
- **Cable Type :** RG58 50-3



NB-60

NB-60 Strong Magnet Base

- **Color :** Silver/Black
- **Connector :** NMO/SL16
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 55mm
- **Cable Type :** RG58 50-3



NB-60

NB-60-UHF Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 55mm
- **Cable Type :** RG58 50-3



NB-70

NB-70 Strong Magnet Base

- **Color :** Silvery
- **Connector :** NMO/SL16
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 75mm
- **Cable Type :** RG58 50-3



NB-70

NB-70-UHF Strong Magnet Base

- **Color :** Silver
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 75mm
- **Cable Type :** RG58 50-3



NB-90

NB-90-UHF Strong Magnet Base

- **Color :** Silver
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 90mm
- **Cable Type :** RG58 50-3



NB-90

NB-90 Strong Magnet Base

- **Color :** Black
- **Connector :** NMO/SL16
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 90mm
- **Cable Type :** RG58 50-3



NB-90

NB-90 Strong Magnet Base

- **Color :** Silver
- **Connector :** NMO/SL16
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 90mm
- **Cable Type :** RG58 50-3



NB-120

NB-120 Strong Magnet Base

- **Color :** Silver
- **Connector :** NMO/SL16
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 120mm
- **Cable Type :** RG58 50-3



NB-120

NB-120 Strong Magnet Base

- **Color :** Black
- **Connector :** NMO/SL16
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 120mm
- **Cable Type :** RG58 50-3



NB-120

NB-120-UHF Strong Magnet Base

- **Color :** Silvery
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 120mm
- **Cable Type :** RG58 50-3



TM-322S-R

TM-322S-R Strong Magnet Base

- **Color :** Silver
- **Connector :** SL16
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 120mm
- **Cable Type :** RG58 50-3



TDT-D190

TDT-D190 Triangular Strong Magnet Base

- **Color :** Silver
- **Connector :** SL16/NMO/N
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 190mm
- **Cable Type :** RG58 50-3



TDT-D190

TDT-D190 Triangular Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/NMO/N
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 190mm
- **Cable Type :** RG58 50-3



TDT-D116B

TDT-D116-B Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 116mm
- **Cable Type :** RG58 50-3



TDT-D116

TDT-D116 Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 116mm
- **Cable Type :** RG58 50-3



PM-125

PM-125 Strong Magnet Base

- **Color :** Black
- **Connector :** SL16
- **Cable Length :** 6m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 125mm
- **Cable Type :** RG58 50-3



TDT-D70

TDT-D70 Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 70mm
- **Cable Type :** RG58 50-3



TDT-D70B

TDT-D70B Strong Magnet Base

- **Color :** Black
- **Connector :** N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 70mm
- **Cable Type :** RG58 50-3



TDT-D90

TDT-D90 Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 90mm
- **Cable Type :** RG58 50-3



TDT-D90B

TDT-D90B Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 90mm
- **Cable Type :** RG58 50-3



TDT-D90

TDT-D90 Strong Magnet Base

- **Color :** Silver
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 90mm
- **Cable Type :** RG58 50-3



TDT-D90P

TDT-D90P Strong Magnet Base

- **Color :** Black
- **Connector :** SL16/N/Customized
- **Cable Length :** 5m/Customized
- **Cable Connector :** PL259/BNC/SMA/Customized
- **Base Diameter :** 90mm
- **Cable Type :** RG58 50-3



SK412

SK412 Strong Magnet Base Bracket

- **Color :** Black
- **Base Diameter :** 90mm



TDT-BD90

TDT-BD90 Strong Magnet Base Bracket

- **Color :** Black
- **Base Diameter :** 90mm



TDT-BD100

TDT-BD100 Strong Magnet Base Bracket

- **Color :** Black
- **Base Diameter :** 100mm



TDT-JP

TDT-JP Clip Bracket

- **Color :** Silvery
- **Cable Length :** 5m/Customized
- **Cable Type:** RG58 50-3/Customized
- **Temp Spec :** -40-80℃
- **Connector A :** NMO/Customized
- **Connector B :** PL259/BNC/SMA/Customized



NMO-C3-5M

NNO-C3-5M Communication Cable

- **Color :** Black
- **Cable Length :** 5m/Customized
- **Cable Type:** RG58 50-3/Customized
- **Temp Spec :** -40-80℃
- **Connector A :** NMO/Customized
- **Connector B :** PL259/Customized



TDT-C3-5M

TDT-C3-5M Communication Cable

- **Color :** Black
- **Cable Length :** 5m/Customized
- **Cable Type:** RG58 50-3/Customized
- **Temp Spec :** -40-80℃
- **Connector A :** SL16/SO239/BNC/SMA/N/Customized
- **Connector B :** PL259/BNC/SMA/N/Customized



TDT-C3-B5M

TDT-C3-B5M Communication Cable

- **Color :** Black
- **Cable Length :** 5m/Customized
- **Cable Type:** RG58 50-3/Customized
- **Temp Spec :** -40-80℃
- **Connector A :** SL16/SO239/BNC/SMA/N/Customized
- **Connector B :** PL259/BNC/SMA/N/Customized



TFL1.5-5M

TFL-1.5-5M Communication Cable

- **Color :** Brown
- **Cable Length :** 5m/Customized
- **Cable Type:** RG316
- **Temp Spec :** -40-80℃
- **Connector A :** SL16/SO239/BNC/SMA/N/Customized
- **Connector B :** PL259/BNC/SMA/N/Customized



TFL3-5M

TFL-3-5M Communication Cable

- **Color :** Brown
- **Cable Length :** 5m/Customized
- **Cable Type:** RG316
- **Temp Spec :** -40-80℃
- **Connector A :** SL16/SO239/BNC/SMA/N/Customized
- **Connector B :** PL259/BNC/SMA/N/Customized



TDT-BL1

TDT-BL1 Antenna Installation Bracket

- **Color :** Silvery
- **Cable Length :** 5m/Customized
- **Cable Type:** RG58 50-3/Customized
- **Temp Spec :** -40-80℃
- **Connector A :** NMO/Customized
- **Connector B :** PL259/BNC/SMA/N/Customized



TDT-BL2

TDT-BL2 Antenna Installation Bracket

- **Color :** Silvery
- **Cable Length :** 5m/Customized
- **Cable Type:** RG58 50-3/Customized
- **Temp Spec :** -40-80℃
- **Connector A :** NMO/Customized
- **Connector B :** PL259/BNC/SMA/N/Customized



TDT-RB400 *TDT-RB400 Clip Bracket*

- **Color :** Black/Silvery
- **Cable Length :** 5m/Customized
- **Cable Type:** RG58 50-3/Customized
- **Temp Spec :** -40-80℃
- **Connector A :** NMO/SL16
- **Connector B :** PL259/BNC/SMA/N/Customized



TDT-SL16 *SL16 Connector*

- **Color :** Silvery
- **Connector :** SL16



TDT-SL16-2 *SL16-2 Connector*

- **Color :** Silvery
- **Connector :** SL16



TDT-SL16-3 *SL16-3 Connector*

- **Color :** Silvery
- **Connector :** SL16



RE02

RE02 Antenna Grounding Plane Kit

- **Frequency :** VHF/UHF/10-1300 MHz
- **Color :** Black
- **Connector :** SO239 / PL259
- **Polarization :** Vertical
- **Length-VHF :** 150mm
- **Length-UHF :** 120mm



TDT-NMO

NMO-A Connector

- **Color :** Golden
- **Connector :** NMO



Hanxun Electronic Technology CO.,Ltd

http://www.tandton.com

http://hanxuntech.en.alibaba.com

Tel/Whatsapp:+86 18959988127

Email :hanxuntech@foxmail.com

WHATSAPP

WECHAT